A few notes about PDF patterns from Designs by Jude. . . .

This PDF pattern requires legal size paper (8.5" x 14") or A4 size paper (8.27" x 11.69", 210mm x 297mm). It will **not** print on standard letter.

Patterns containing larger pieces will need to be taped together before cutting out the fabric.


Be advised that this document needs to be printed to it's original scale. Please ensure that the printing options below are **not** selected.


Do Not: Rotate and Center, Fit to Page, Reduce to Fit or adjust the scale of this document.

Refer to the scale marker below to ensure that this copy is printed at the correct scale.

This PDF pattern is not licensed for commercial use and may not be shared, duplicated or distributed.

2016 Designs by Jude, All RIGHTS RESERVED. Personal use only. Not licensed for commercial use.





Designs by Jude

So Cute

For 12" Bethany Kish Dolls

Fabric & Notions: stretch knit, knit blends, lightweight denim, cotton, snaps, elastic Tee Shirt

- With right sides together sew shoulder seams.
- Finish neck opening, back closure and lower edge of sleeves with zigzag stitch or serger.
- Fold serged/zig-zagged edge under and top stitch neck, left back opening and sleeve edge.
- With right sides together, sew sleeve to armhole opening.
- Stitch front to back sections at the underarm seam.
- Hem lower edge.
- Sew snaps to finish back opening. Top should close left over right.

Overalls

- Fold upper edge of pocket, press and topstitch.
- Turn remaining three sides under and press.
- Position pocket on bib and stitch in place.
- Turn bottom edge of bib lining under 1/4" and press.
- Pin bib to bib lining with right sides together.
- Sew curved edge and upper bib, clip seams, turn and press.
- RST sew center front seam of overalls, clip seam, and press open.
- Pin bib to overall front, leaving lining open, sew in place.
- Press seam up.
- Sew center back seam of overalls, clip seam and press open.
- Fold upper edge of back on the casing line. Turn under 1/4" and sew in place.
- Run elastic through the casing. Fit to doll and secure ends.
- Sew overalls front to overalls back at the inner thigh seam.
- Hem lower edge by turning under ¼", press and topstitch.
- Sew overall front to overall back at the side seam.
- Press side seam to the front.
- Press waist seam up into lining and hand finish
- Top stitch bib on sides and upper edge if desired.
- RST fold straps in half lengthwise, sew, leaving on end open for turning.
- Turn straps, press and topstitch if desired.
- Attach straps to inside of overall backside.
- Fit to doll, sew snaps on bib and strap ends.

Skirtalls

- Fold upper edge of pocket, press and topstitch.
- Turn remaining three sides under and press.
- Position pocket on bib and stitch in place.
- Turn bottom edge of bib lining under ¼" and press.
- Pin bib to bib lining with right sides together.
- Sew curved edge and upper bib, clip seams, turn and press.
- RST sew bib to skirt front, leaving bib lining free.

- Turn edge down ¼" on skirt back.
- Turn down again to form casing.
- Run elastic through casing, fit to doll and secure elastic at each end.
- Sew skirt front to skirt back on one side seam.
- Hem skirt.
- RST sew second side seam.
- RST fold strap in half, sew, leaving one end open for turning.
- Turn and press straps. Attach straps to skirt back.
- Fit to doll. Sew snaps at strap end and bib front.

www.fletcherpatterncompany.com

